EQUIPMENT REQUIREMENTS

As per Revised BDS Course Regulations, 2007

Department: Oral Medicine and Radiology

| | Inc. Oral Medicine and Radiology | Qua | ntity | A. a. M. I | |
|---|--|--------------|---------------|-----------------------|-----------------------|
| Name | Specification | 50 Intake | 100 Intake | Available Quantity | Adequate / Inadequate |
| | (Space allocation for each dental chair 100 Sq.Ft. in all the Departments) | | | | · |
| Dental Chairs and Units | Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, Air Ventry Suction, X-Ray viewer, 3 way syringe, instrument tray, Dental Operator's Stool with height adjustment | | 12 | 12 | Adequate |
| Panoramic X-Ray with Cephalometric | Preferably digital | 1 | 1 | 1 | Adequate |
| Intra Oral X-ray Unit | 70 KV, 8 mA, high frequency preferably Digital timer | 2 | 3 | 3 | Adequate |
| Pulp testers | Digital | | | | Adequate |
| Automatic periapical X-ray Developer | | 1 | 1 | 1 | Adequate |
| Automatic Panoramic with Cephalometric X- ray Developer | | 1 | 1 | 1 | Adequate |
| X-ray viewer | For Panoramic and Cephalometric films | 2 | 2 | 2 | Adequate |
| Radiovisiography | Digital Intra X-ray system with one Sensor and Software | 1 | 1 | | Adequate |
| General X-ray Unit | | 1 | 1 | 1 | Adequate |
| Ortho Pantmograph | Preferably digital | 1 | 1 | 1 | Adequate |
| Automatic Developers / Dark Room | | 1 | 2 | 2 | Adequate |
| Lead aprons | | 2 | 2 | 2 | Adequate |
| Lead Gloves | | 1 | 1 | | Adequate |
| X-ray Hangers | | 6 | 6 | 6 | Adequate |
| X-ray Viewers | | 2 | 2 | 2 | Adequate |
| Diagnostic Kits | Mouth mirror, dental probe, college tweezers | 20 | 40 | 40 | Adequate |
| Lead Screen | | 1 | 1 | 1 | Adequate |
| Biopsy Kit | | 1 | 1 | 1 | Adequate |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 1 | 2 | 2 | Adequate |
| Computers | Minimum Pentium – IV | 1 | 1 | | Adequate |
| Intra Oral Camera | With High resolution | 1 | 1 | | Adequate |
| Needle Burner with Syringe Cutter | | 2 | 2 | 2 | Adequate |

Department: Oral Pathology and Oral Microbiology

| Name | | Quantity | | Augilahla | |
|----------------------------|--|--------------|---------------|-----------------------|-----------------------|
| | Specification | 50 Intake | 100 Intake | Available Quantity | Adequate / Inadequate |
| Dental Chairs and Units | With shadowless lamp, spittoon, 3 way syringe, instrument tray and suction | 1 | 2 | 2 | Adequate |
| Microscopes | | 20 | 40 | 40 | Adequate |
| Microtome | | 1 | 1 | | Adequate |
| Wax bath | | 1 | 1 | 1 | Adequate |
| Water bath | | 1 | 1 | 1 | Adequate |
| Knife sharpener | | 1 | 1 | | Adequate |
| Hot plate | | 1 | 1 | 1 | Adequate |
| Spencer Knife | | 1 | 1 | | Adequate |

Department: Public Health Dentistry

| Departine | | | ntity | | • |
|---|---|--------------|---------------|-----------------------|--------------------------|
| Name | Specification | 50 Intake | 100 Intake | Available Quantity | Adequate / Inadequate |
| Dental Chairs and Units | Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, Air Ventury suction, micromotor control light cure 3 way syringe, X-ray viewer, instrument tray Dental Operators stool with height adjustment with shadowless lamp, spittoon, 3 way syringe, instrument tray and suction, micromotor, airotor, light cure | | 16 | 16 | Adequate |
| Autoclaves | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 1 | 2 | 2 | Adequate |
| Ultrasonic cleaner | Minimum capacity 13 litres with mesh bucket with digital timer | 1 | 2 | 2 | Adequate |
| Needle burner with syringe cutter | | 2 | 4 | 4 | Adequate |
| MOBILE CLINIC | | | | | Adequate |
| Mobile dental van | Mobile dental van with two dental chairs with all the attachments and adequate sitting space for 15 to 20 people | | | | Adequate |
| Dental chair with unit | Hydraulically operated with spittoon attachment, halogen light with 2 intensity, air ventury suction, airrotor, micromotor, 3 way-scaler and light cure, x-ray viewer, instrument tray, operating stool | 2 | | | Adequate |
| Autoclaves | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 1 | 1 | 1 | Adequate |
| Intraoral x-ray | Portable, 70 KV, 8 mA | 1 | 1 | 1 | Adequate |
| Glass bead sterilisers | | 1 | 1 | 1 | Adequate |
| Compressor | 1.25 HP | 1 | 1 | 1 | Adequate |
| Metal Cabinet | With wash basin | 1 | 1 | | Adequate |
| Portable dental chair | Suitcase unit with airotor, micromotor, scaler and compressor 0.25 HP | 2 | 2 | 2 | Adequate |
| Stabiliser | 4 KV | 1 | 1 | 1 | Adequate |
| Generator | 4 KV | 1 | 1 | 1 | Adequate |
| Water tank | 400 ltrs | 1 | 1 | 1 | Adequate |
| Oxygen cylinder | | 1 | 1 | 1 | Adequate |
| Public address system | | 1 | 1 | 1 | Adequate |

| TV and video cassette player | 1 | 1 | 1 | Adequate |
|------------------------------|---|---|---|----------|
| Demonstration models | 1 | 1 | 1 | Adequate |

Department: Paediatric and Preventive Dentistry

| Departme | nt: Paediatric and Preventive Dentistry | | | | |
|---|--|--------------|---------------|-----------|-----------------------|
| | | Qua | ntity | Available | Adoquato / |
| Name | Specification | 50 Intake | 100 Intake | Quantity | Adequate / Inadequate |
| Dental Chairs and Units | Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, high power motorized evacuation system, Air rotor with miniature, Airrotor | | 20 | 20 | Adequate |
| | HPS, Micro motor with miniature contrangle Hand piece, 3 way syringe, ultrasonic sealer with 3 tips, Light cure unit LED based heat free, X-ray viewer, | | | | |
| | instrument tray Dental Operator's stool with height adjustment (Pedo chair preferred) | | | | |
| Autoclaves | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 1 | 2 | 2 | Adequate |
| Ultrasonic cleaner | Minimum capacity 13 liters with mesh bucket with digital timer | 1 | 2 | 2 | Adequate |
| Needle Burner with syringe cutter | 1 | 2 | 3 | 3 | Adequate |
| Amalgamator | | 1 | 1 | 1 | Adequate |
| Pulp Tester Digital | | 1 | 1 | 1 | Adequate |
| Rubber dam kit for pedo | | 3 | 5 | 5 | Adequate |
| Apex locator | | 1 | 1 | 1 | Adequate |
| Endo motor | With torque control HPs | 1 | 1 | 1 | Adequate |
| Injectable gutta percha with condensation | | 1 | 1 | 1 | Adequate |
| Radiovisiography | Digital intra X-ray system with pedo sensor and software | 1 | 1 | 1 | Adequate |
| Intra Oral Camera | With high resolution | 1 | 1 | 1 | Adequate |
| Scale instruments | | 5 | 10 | 10 | Adequate |
| Restorative instruments | | 5 | 10 | 10 | Adequate |
| Extraction forceps | | 5 | 10 | 10 | Adequate |
| Intra-oral X-ray | | 1 | 1 | | Adequate |
| Automatic Developer | | 1 | 1 | 1 | Adequate |
| Computer | Minimum Pentium – IV | 1 | 1 | 1 | Adequate |
| | PEDO LAB | | | | |
| Plaster dispenser | One each for plaster and stone plaster | 2 | 2 | 2 | Adequate |
| Model Trimmer | With diamond disc | 1 | 1 | 1 | Adequate |
| Model Trimmer | Double disc one diamond and one carborandam disc | 1 | 1 | 1 | Adequate |
| Welder with soldering attachments | | 1 | 1 | 1 | Adequate |
| Vibrator | | 2 | 2 | 2 | Adequate |
| | Heavy duty with Hps | 2 | 3 | | Adequate |
| Dental Lathe | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | 1 | 1 | | Adequate |
| Model Trimmer | | 1 | 1 | | Adequate |

| Steam cleaner | 1 | 1 | 1 | Adequate |
|---------------------------------|---|---|---|----------|
| Pressure moulding machine | 1 | 1 | 1 | Adequate |
| Carborandum disc | 1 | 1 | 1 | Adequate |
| Diamond disc | 1 | 1 | 1 | Adequate |

Department: Orthodontics

| | | Qua | ntity | Assallable | Adoquats / |
|-----------------------------------|---|--------------|---------------|-----------------------|--------------------------|
| Name | Specification | 50 Intake | 100 Intake | Available Quantity | Adequate / Inadequate |
| Units | Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, Air Ventury suction, micromotor control light cure 3 way syringe, X-ray viewer, instrument tray Dental Operators stool with height adjustment | 9 | 18 | 18 | Adequate |
| Unit mount scaler | | 3 | 5 | 5 | Adequate |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 1 | 2 | 2 | Adequate |
| Ultrasonic cleaner | Minimum capacity 13 litres with mesh bucket with digital timer | 1 | 2 | 2 | Adequate |
| ORTHO LAB | | | | ٠ | Adequate |
| Plaster dispenser | One each for plaster and stone plaster | 2 | 2 | 2 | Adequate |
| Vibrator | | 2 | 2 | 2 | Adequate |
| Model Trimmer | | 1 | 2 | 2 | Adequate |
| Micromotor | Heavy duey | 2 | 4 | 4 | Adequate |
| Lathe | | 1 | 2 | 2 | Adequate |
| X-ray viewers | | 2 | 2 | 2 | Adequate |
| OPG with cephalostat | If available in radiology its is adequate | 1 | 1 | 1 | Adequate |
| Welders | | 2 | 4 | 4 | Adequate |
| Blue Torch | | 1 | 1 | 1 | Adequate |
| Base Formers | | 2 | 4 | 4 | Adequate |
| Typodont | | 2 | 4 | 4 | Adequate |
| Set of pliers | | 5 | 10 | 10 | Adequate |
| Welder with soldering attachments | | 1 | 1 | 1 | Adequate |
| Hydro solder | | 1 | 1 | 1 | Adequate |
| Typhodont articulator | With metal teeth wax rim of Class I, II, III | 3 | 4 | | Adequate |
| Pressure moulding machine | | 1 | 1 | 1 | Adequate |

Department: Periodontology

| | Specification | Quantity | | Augilahla | Adamst - / |
|--|---|--------------|---------------|-----------------------|-----------------------|
| Name | | 50 Intake | 100 Intake | Available Quantity | Adequate / Inadequate |
| Dental Chairs and Units | Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, high power evacuation system, Air Ventury suction, X-ray viewer, Airrotor, Micromotor with straight and contrangle Handpiece, with shadowless lamp, spittoon, 3 way syringe, Ultrasonic sealer with 3 tips, X-ray viewer, instrument tray Dental Operators stool with height adjustment | | 34 | 34 | Adequate |
| Scaling instrument sets | arry contain operation stool with neight adjustment | 5 | 10 | 10 | Adequate |
| Surgical instrument sets | | 3 | 6 | 6 | Adequate |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 2 | 3 | 3 | Adequate |
| Ultrasonic scaler | Minimum capacity 13 litres with mesh bucket | 1 | 2 | 2 | Adequate |
| Electro surgical cautery | | 1 | 1 | 1 | Adequate |
| Needle burner with syringe cutter | | 4 | 6 | 6 | Adequate |
| LASER | Soft tissue laser | 1 | 1 | 1 | Adequate |
| Surgical motor with physio dispenser | | 1 | 1 | | Adequate |

Department: Conservative Dentistry and Endodontics

| | | Qua | ntity | Available | Adomusto / |
|---|---|-----|---------------|-----------------------|-----------------------|
| Name | Specification | | 100 Intake | Available Quantity | Adequate / Inadequate |
| Dental Chairs and Units | Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, high power evacuation system, Air Ventury suction, X-ray viewer, Airrotor, Micromotor with straight and contrangle Handpiece, with shadowless lamp, spittoon, 3 way syringe, Ultrasonic sealer with 3 tips, X-ray viewer, instrument tray Dental Operators stool with height adjustment | | 34 | 34 | Adequate |
| Rubber dam kits | | 4 | 6 | 6 | Adequate |
| Restorative instruments kits | | 5 | 10 | 10 | Adequate |
| R.C.T. instrument kits | | 5 | 10 | 10 | Adequate |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 2 | 3 | 3 | Adequate |
| Ultrasonic cleaner | Minimum capacity 13 litres with mesh bucket | 1 | 2 | 2 | Adequate |
| Needle Burner with Syringe Cutter | | 3 | 4 | 4 | Adequate |
| Amalgamator | With auto proportion, auto dispenser | 2 | 3 | 3 | Adequate |
| Rubber dam kits | | 4 | 6 | 6 | Adequate |
| Pulp Tester Digital | | 2 | 4 | 4 | Adequate |
| Apex locator | | 1 | 2 | 2 | Adequate |
| Glass bead | | 4 | 6 | 6 | Adequate |

| sterilizers | | | |] | |
|----------------------------|--|---|----|----|----------|
| Plaster dispenser | | 2 | 2 | 2 | Adequate |
| Vibrator | | 1 | 2 | 2 | Adequate |
| Ceramic Unit | | 1 | 1 | 1 | Adequate |
| Casting machine | | 1 | 1 | 1 | Adequate |
| Intra-oral X-ray Unit | Proper radiation safety | 1 | 1 | 1 | Adequate |
| Automatic Developer | | 1 | 1 | 1 | Adequate |
| Radiovisiography | RVG with Computer | 1 | 1 | 1 | Adequate |
| Endo motor | With torque control Hps | 1 | 1 | 1 | Adequate |
| Bleaching Unit | | 1 | 1 | 1 | Adequate |
| Magnification loops | | 1 | 2 | 2 | Adequate |
| Injectable gutta percha | | 1 | 2 | 2 | Adequate |
| PHANTOM LAB UNIT | Phantom Table fitted with Halogen Operating Light Phantom Head body type neck joint for all the movement, TMJ movement, Modular with Air rotor, Micro motor with contra angle Hps, 3 way syringe, jaw with ivorine teeth, preferably soft gingival, dental operator's stool (not to use extracted or cadaver teeth). | | 60 | 60 | Adequate |

Chemical Laboratory

| | Specification | Qua | ntity | Available Quantity | Adequate / Inadequate |
|-------------------------|--|--------------|---------------|-----------------------|-----------------------|
| Name | | 50 Intake | 100 Intake | | |
| Plaster Dispenser | One each for plaster and stone plaster | 2 | 2 | 2 | Adequate |
| Model Trimmer | Carborandum disc | 1 | 1 | 1 | Adequate |
| | Diamond disc | 1 | 1 | 1 | Adequate |
| Lathe | Heavy Duty | 1 | 2 | 2 | Adequate |
| Lab Micromotor | With heavy duty handpiece | 2 | 3 | 3 | Adequate |
| Ultrasonic cleaner | Minimum capacity 5 litres | 1 | 1 | 1 | Adequate |
| Spindle Grinder | | 1 | 1 | 1 | Adequate |
| Vibrator | | 1 | 2 | 2 | Adequate |
| Burnout furnace | | 1 | 1 | 1 | Adequate |
| Porcelain furnace | | 1 | 1 | 1 | Adequate |
| Sandblasting Machine | | 1 | 1 | 1 | Adequate |
| Lab Airotor | | 1 | 1 | 1 | Adequate |
| Pindex System | | 1 | 1 | 1 | Adequate |
| Circular saw | | 1 | 1 | 1 | Adequate |
| Vacuum mixer | | 1 | 1 | 1 | Adequate |
| Pnematic chisel | | 1 | 1 | 1 | Adequate |
| Casting machine | Motor cast / induction casting preferred | 1 | 1 | 1 | Adequate |

Department: Oral & Maxillofacial Surgery

A) Exodontia

| | | Qua | ntity | Available | Adomioto / |
|---|--|--------------|---------------|-----------|--------------------------|
| Name | Specification | 50 Intake | 100 Intake | Quantity | Adequate / Inadequate |
| Dental Chairs and | Electrically operated, Spittoon attachment, Halogen | 15 | 30 | 30 | Adequate |
| Units | Light with 2 intensity, Air Ventury suction, X-ray viewer, 3 way syringe, instrument tray Dental Operators stool and height adjustment and suction, Micromotor / Airotor | l . | | | |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 2 | 2 | 2 | Adequate |
| Ultrasonic cleaner | Minimum capacity 13 litres with mesh bucket | 1 | 2 | 2 | Adequate |
| Needle Burner with Syringe Cutter | | 4 | 6 | 6 | Adequate |
| Extraction forceps sets | Complete set | 10 | 20 | 20 | Adequate |
| Dental elevators | Complete set | 5 | 10 | 10 | Adequate |
| Minor Oral Surgery kits | | 3 | 6 | 6 | Adequate |
| Emergency drugs tray | | 1 | 1 | 1 | Adequate |
| Oxygen cylinder with mask | | 1 | 1 | 1 | Adequate |
| X-ray viewers | | 2 | 2 | 2 | Adequate |
| Computer | Minimum Pentium – IV | 1 | 1 | 1 | Adequate |

B) Minor Surgery

| | Specification | | Quantity | | Adequate / |
|-------------------|--|---|---------------|-----------------------|------------|
| Name | | | 100 Intake | Available Quantity | Inadequate |
| Dental Chairs and | Electrically operated, Spittoon attachment, Halogen | 3 | 5 | 5 | Adequate |
| Units | Light with 2 intensity, high power evaculation system, | | | | |
| | Air ventury suction, X-ray viewer, Airrotor, | | | | |
| | Micromotor with straight and contra-angle | | | - | |
| | Handpiece, 3 way syringe, instrument tray Dental | | | | |
| | Operators stool and height adjustment and suction. | | | | |

Department: Prosthodontics and Crown & Bridge

| | Name Specification | | Quantity | | Adequate / |
|--------------------------------|---|---|---------------|-----------------------|------------|
| Name | | | 100 Intake | Available Quantity | Inadequate |
| Dental Chairs and Units | Electrically operated, Spittoon attachment, Halogen Light with 2 intensity, high power evacuation system, Air Ventury suction, X-ray viewer, Airrotor, Micromotor with straight and contrangle Handpiece, 3 way syringe, Ultrasonic sealer with 3 tips, Light cure unit, instrument tray and suction, Dental Operators stool with height adjustment | | 34 | 34 | Adequate |
| Semi-adjustable articulator | With face bow | 2 | 2 | 2 | Adequate |
| Extra oral / intra oral tracer | | 2 | 2 | 2 | Adequate |
| Dewaxing unit | | 1 | 2 | 2 | Adequate |

| Curing unit | | 1 | 2 | 2 | Adequate |
|--|--|----|-----|-----|----------|
| Dental casting machine | | 1 | 1 | 1 | Adequate |
| Wax burnout furnace | | 1 | 1 | 1 | Adequate |
| Pre heating furnace | | 1 | 1 | 1 | Adequate |
| Surveying unit | | 1 | 2 | 2 | Adequate |
| Heavy duty hand piece | Lab micromotors | 3 | 4 | 4 | Adequate |
| Autoclave | Having wet and dry cycle, which can achieve 135°C with minimum capacity of 20 liters | 1 | 2 | 2 | Adequate |
| Needle Burner with Syringe Cutter | | 1 | 2 | 2 | Adequate |
| Plaster dispenser | One each for plaster and stone plaster | 2 | 2 | 2 | Adequate |
| Model Trimmer with Carborandum disc | | 1 | 1 | 1 | Adequate |
| Model Trimmer with diamond disc | | 1 | 2 | 2 | Adequate |
| Acryliser | | 2 | 3 | 3 | Adequate |
| Lathe | | 1 | 2 | 2 | Adequate |
| Flask press | | 4 | 4 | 4 | Adequate |
| Deflasking unit | | 4 | 4 | 4 | Adequate |
| Dewaxing unit | | 2 | 3 | 3 | Adequate |
| Hydraulic Press | | 2 | 3 | 3 | Adequate |
| Mechanical Press | | 1 | 2 | 2 | Adequate |
| Vacuum mixing machine | | 1 | 1 | 1 | Adequate |
| Lab Micro motor | With heavy duty handpiece | 3 | 4 | 4 | Adequate |
| Curing pressure pot | | 1 | 1 | 1 | Adequate |
| Porcelain furnace | | 1 | 2 | 2 | Adequate |
| Vibrator | | 1 | 2 | 2 | Adequate |
| Sandblasting unit | | 2 | 2 | 2 | Adequate |
| Ultrasonic cleaner | | 1 | 2 | 2 | Adequate |
| Model Trimmer | | 2 | 4 | 4 | Adequate |
| Hot water | | 1 | 2 | 2 | Adequate |
| sterilizer | Compound both | | 2 | | |
| Geyser | Compound bath | 1 | 2 | 2 | Adequate |
| H.P. grinder with suction | | 2 | 3 | 3 | Adequate |
| Heavy duty lathe | ~~~ | 2 | 2 | 2 | Adequate |
| Phantom heads | | 50 | 50 | 50 | Adequate |
| Pre-clinical working tables | Gas connection & Bunsen burner | 50 | 100 | 100 | Adequate |

Ceramic and Cast Partial Laboratory

| | | | ntity | Available | Adequate / |
|--|--|-------------------------|-------|-----------|------------|
| Name | Specification | 50 100 Intake Intake | | Quantity | Inadequate |
| Plaster dispenser | One each for plaster and stone plaster | 2 | 2 | 2 | Adequate |
| Duplicator | | 1 | 1 | 1 | Adequate |
| Pindex System | | 1 | 1 | 1 | Adequate |
| Circular saw | | 1 | 1 | 1 | Adequate |
| Burnout furnace | | 1 | 1 | 1 | Adequate |
| Sandblasting Machine | With two containers | 1 | 1 | 1 | Adequate |
| Electro polisher | | 1 | 1 | 1 | Adequate |
| Model Trimmer with Carborandum disc | | 1 | 1 | 1 | Adequate |
| Model Trimmer with diamond disc | | 1 | 1 | 1 | Adequate |
| Induction casting machine | | 1 | 1 | 1 | Adequate |
| Programmable porcelain furnace with vacuum pump with instrument kit and material kit | | 1 | 1 | 1 | Adequate |
| Spot welder with soldering attachment of cable | | 1 | 1 | 1 | Adequate |
| Vacuum mixing machine | | 1 | 1 | 1 | Adequate |
| Steam Cleaner | | 1 | 1 | 1 | Adequate |
| Spindle Grinder 24000 rpm with vacuum suction | | 1 | 1 | 1 | Adequate |
| Wax heater | | 1 | 1 | 1 | Adequate |
| Wax carver | | 1 | 1 | 1 | Adequate |
| Curing pressure pot | | 1 | 1 | 1 | Adequate |
| Milling machine | 1 | 1 | 1 | 1 | Adequate |
| Heavy duty lathe with suction | | 1 | 1 | 1 | Adequate |
| Preheating furnace | | 1 | 1 | 1 | Adequate |
| Palatal trimmer | | 1 | 1 | 1 | Adequate |
| Ultrasonic cleaner | 5 liters capacity | 1 | 1 | 1 | Adequate |
| Composite curing unit | | 1 | 1 | 1 | Adequate |
| Micro surveyor | | 1 | 1 | 1 | Adequate |
| Pre-clinical Prosthetic Laboratory | Work table preferably complete stainless steel fitted | 30 | 60 | 60 | Adequate |
| | with light, Bunsen burner, air blower, working stool. Adequate number of lab micro motor with attached hand piece. | | 20 | 20 | |
| Plaster room for pre-clinical work | | | | | |
| Plaster dispenser | One each for plaster and stone | 2 | 2 | 2 | Adequate |
| Vibrator | | 2 | 2 | 2 | Adequate |
| Lathe | | 2 | 2 | 2 | Adequate |
| Model Trimmer | | 1 | 1 | _1 | Adequate |
| Carborandum Disc | | 1 | 1 | 1 | Adequate |
| Diamond disc | | 1 | 1 | 1 | Adequate |

EQUIPMENT REQUIREMENTS

As per MDS Course Regulations, 2017

Department: Prosthodontics and Crown & Bridge

| Department: Prostnodontics and Crown & Bridge | | | | | | | |
|--|-------------------------|-----------|---------------|-----------------------|--------------------------|--|--|
| Name | Specification | Quantity | | Available Quantity | Adequate / Inadequate | | |
| Electrical Dental Chairs and Units | With shadowless lamp | , One Ch | air and | 11 | Adequate | | |
| | spittoon, 3 way syringe | , unit p | er PG | | | | |
| | instrument tray and | student | and | | | | |
| | motorized suction | , two cha | irs with | |] | | |
| | micromotor and airoto | 1 | or the | | | | |
| | | faculty | | | | | |
| | handpieces | 4 11-2 | 2.11-24- | | | | |
| A Air John Committee of the Air Additional Committee of the Ai | | 1 Unit | 2 Units 12 | 6 | Adaguata | | |
| Articulators — semi adjustable/ adjustable with face bow | | | 12 | | Adequate | | |
| Micromotor – (Lab Type can also be attached (fixed) to wall | | 2 | 4 | 2 | Adequate | | |
| Ultrasonic scaler | | 2 | 2 | 2 | Adequate | | |
| Light cures | | 2 | 2 | 2 | Adequate | | |
| Hot air oven | | 1 | 1 | 1 | Adequate | | |
| Autoclave | | 2 | 2 | 2 | Adequate | | |
| Surveyor | | 2 | 2 | 2 | Adequate | | |
| Refrigerator | | 1 | 1 | 1 | Adequate | | |
| X-ray viewer | | 1 | 2 | 1 | Adequate | | |
| Pneumatic, Crown bridge remover | | 2 | 3 | 2 | Adequate | | |
| Needle destroyer | | 1 | 2 | 1 | Adequate | | |
| Intra oral camera | | 1 | 1 | 1 | Adequate | | |
| Digital SLR camera | | 1 | 1 | 1 | Adequate | | |
| Computer with internet connection with | | 1 | 1 | 1 | Adequate | | |
| attached printer and scanner | | | | | | | |
| LCD projector | | 1 | 1 | 1 | Adequate | | |
| Clinical Lab for Prosth | etics | | | | | | |
| Plaster dispenser | *** | 2 | 2 | 2 | Adequate | | |
| Model trimmer with carborandum Disc | | 1 | 2 | 1 | Adequate | | |
| Model trimmer with diamond disc | | 1 | 2 | 1 | Adequate | | |
| High speed lathe | | 2 | 3 | 2 | Adequate | | |
| Vibrator | | 2 | 4 | 2 | Adequate | | |
| Acrylizer | | 1 | 2 | 1 | Adequate | | |
| Dewaxing unit | | 1 | 2_ | 1 | Adequate | | |
| Hydraulic press | | 1 | 1 | 1 | Adequate | | |
| Mechanical press | | 1 | 1 | 1 | Adequate | | |
| Vacuum mixing machine | | 1 | 1 | 1 | Adequate | | |
| Micro motor lab type | | 2 | 3 | 2 | Adequate | | |
| Curing pressure pot | | 1 | 1 | 1 | Adequate | | |
| Pressure molding machine | | 1 | 1 | 1 | Adequate | | |
| Chrome - Cobalt Lab Equ | ipment | | | | | | |
| Duplicator | | 1 | 1 | 1 | Adequate | | |
| Pindex system | | 1 | 1 | 1 | Adequate | | |
| Burn-out furnace | | 1 | 1 | 1 | Adequate | | |
| Welder | | 1 | 1 | 1 | Adequate | | |
| Sandblaster | Micro and macro | 1 | 1 | 1 | Adequate | | |
| Electro – polisher | | 1 | 1 | 1 | Adequate | | |

| Model trimmer with carborandum disc | | 1 | 1 | 1 | Adequate |
|--|-------------------|--|------|----------|----------|
| Model trimmer with diamond disc | | 1 | 1 | 1 | Adequate |
| Model trimmer with double disc (one | | 1 | 1 | 1 | Adequate |
| Carborandum and one | | | | | |
| diamond disc) | | | | | |
| Casting machine, motor cast with | | 1 | 1 | 1 | Adequate |
| the safety door closure, gas blow torch with | | į. | | | |
| regulator | | | | | |
| Dewaxing furnace | | 1 | 1 | 1 | Adequate |
| Induction casting machine with vacuum | | 1 | 1 | 1 | Adequate |
| pump, capable of casting | | | | | į , |
| titanium chrome cobalt precision metal | | | | | |
| Spot welder with soldering, attachment of | : | 1 | 1 | 1 | Adequate |
| Characteristics | | | | ļ | |
| Steam cleaner | | 1 | 1 | 1 | Adequate |
| Vacuum mixing machine | | 1 | 1 | 1 | Adequate |
| Spindle grinder 24,000 ROM with vacuum suction | | 1 | 1 | 1 | Adequate |
| Wax heater | | | | <u> </u> | _ |
| | | 2 | 3 | 2 | Adequate |
| Wax carvers (Full PKT Set) | | 2 | 3 | 2 | Adequate |
| Milling machine | | 1 | 1 | 1 | Adequate |
| Stereo microscope | | 11 | 1_1_ | 11 | Adequate |
| Magnifying work lamp | | 1 | 1 | 1 | Adequate |
| Heavy duty lathe with suction | | 1 | 1 | 1 | Adequate |
| Preheating furnace | | 1 | 1 | 1 | Adequate |
| Dry model trimmer | | 1 | 1 | 1 | Adequate |
| Die cutting machine Ultrasonic cleaner | | 1 | 2 | 1 | Adequate |
| | | 1 | 1 | 1 | Adequate |
| Composite curing unit | | 1 | 1 | 1 | Adequate |
| Ceramic Lab Equipm | ent | | | | |
| Fully programmable porcelain furnace with | | 1 | 1 | 1 | Adequate |
| vacuum pump Ceramic kit (instruments) | | | | - | |
| Ceramic materials (kit) | | 3 | 3 | 3 | Adequate |
| Ceramic polishing kit | 100 | 1 | 1 | 1 | Adequate |
| | | 2 | 2 | 2 | Adequate |
| Implant Equipment Electrical dental chair and unit | | | | | |
| Physio dispenser | <u> </u> | 1 | 1 | 1 | Adequate |
| Implant kit | NA: | 1 | 1 | 1 | Adequate |
| Implants | Minimum 2 systems | 2 | 2 | 2 | Adequate |
| | | 10 | 10 | 10 | Adequate |
| Prosthetic components Unit mount light cure | | 10 | 10 | 10 | Adequate |
| | | 1 | 2 | | Adequate |
| X-ray viewer Needle destroyer | | 1 | 2 | 1 | Adequate |
| | | 1 | 2 | 1 | Adequate |
| Ultrasonic cleaner capacity 3.5 lts | | 1 | 1 | 1 | Adequate |
| Autoclave programmable for all recommended cycles | | 1 1 | 2 | 1 | Adequate |
| · · · · · · · · · · · · · · · · · · · | | 1 | 4 | | |
| X-ray machine with RVG | | 1 | 1 | 1 | Adequate |
| Refrigerator | | 1 | 1 | 1 | Adequate |
| Surgical kit/prosthetic kit | | 2 | 2 | 2 | Adequate |
| Educating models | | 1 | 1 | 1 | Adequate |
| Implant removing instruments | 1996-1 | 1 | 1 | 1 | Adequate |

Department: Conservative Dentistry and Endodontics

| Name | | Quantity | | Available | Adequate / |
|--|----------------------------|----------|----------|-----------|----------------------|
| Name | Specification | Qua | ntity | Quantity | Inadequate |
| Dental Chairs and Units | Electrically operated with | 1 | | 11 | Adequate |
| | | unit pe | • | | |
| | spittoon, 3 way syringe, | 1 - | | | |
| | 1 | student | | | |
| | 1 | l . | irs with | | |
| | 1 | unit f | or the | | |
| | attachment with | faculty | | | } |
| | hand pieces | 1 Unit | 2 Units | | |
| ENDOSONIC HANDPIECES — | | 2 | 3 | 2 | Adequate |
| Micro endosonic Tips, retro treatment | | | | | - |
| Mechanised rotary instruments including | | 3 | 6 | 3 | Adequate |
| hand pieces (speed | | ļ | | | ļ |
| and torque control) and hand instruments | | | | | |
| various systems | | | | | |
| Rubber dam kit | | 1 per | 1 per | 1 per | Adequate |
| | | chair | chair | Chair | |
| Autoclaves for bulk instrument sterilization | | 2 | 3 | 2 | Adequate |
| vacuum (Front | | | | | |
| loading) | | | | | |
| Autoclaves for hand piece sterilization | | 1 | 1 | | Adequate |
| Apex locators one for every two chairs | | 2 | 4 | | Adequate |
| Pulp tester | | 2 | 4 | | Adequate |
| Equipments for injectable thermoplasticized | | 1 | 2 | 1 | Adequate |
| gutta percha | | | | | |
| Operating microscopes 3 step or | | 1 | 1 | 1 | Adequate |
| 5 step magnification | | _ | _ | | |
| Surgical endo kits (Microsurgery) | | 2 | 2 | | Adequate |
| Set of hand instruments (specifications | | 1 | 2 | 1 | Adequate |
| required) | | | _ | | |
| Sterilizer trays for autoclave | | 4 | 4 | | Adequate |
| Ultrasonic cleaner capacity 3.5 lts | | 1 | 1 | 1 | Adequate |
| | Dil-l- | - | | | A -d |
| Variable Intensity polymerization equipments - VLC units | Desirable | 1 | 1 | 1 | Adequate |
| | | 2 | 4 | 2 | Adequate |
| Conventional VLC units one for every two chairs | | 2 | 4 | 2 | Auequate |
| Needle destroyer | | 2 | 2 | 2 | Adequate |
| Magnifying loupes one for students and one | | 1 | 2 | | Adequate Adequate |
| for faculty | | - | - | - | Auequate |
| LCD projector | | 1 | 1 | 1 | Adequate |
| Composite kits with different shades and | | 2 | 4 | | Adequate |
| polishing kits | | - | | - | racquate |
| Ceramic finishing kits, metal finishing kits | In ceramic labs | 2 | 3 | 2 | Adequate |
| Amalgam finishing kits | | 2 | 3 | | Adequate |
| RVG with x-ray machine developing kit | | 1 | 1 | | Adequate |
| Chair side micro abrasion | | 1 | 1 | | Adequate |
| Bleaching unit | | 1 | 1 | | Adequate |
| Instrument retrieval kits | | 1 | 1 | | Adequate |
| Computer with internet connection with | | 1 | 1 | | Adequate |
| attached printer and scanner | | | | | • |

| Refrigerator | 1 | 1 | 1 | Adequate |
|---|---|---|---|----------|
| Equipments for casting procedures | | | | |
| Equipments for ceramics including induction casting machines/ burnout preheat furnaces/ wax elimination furnaces | 1 | 1 | 1 | Adequate |
| Lab micro motor/ metal grinders / sand blasters/ polishing lathes/ duplicator equipment/ vacuum investment equipments | 1 | 1 | 1 | Adequate |
| Laser (preferably hard tissue) | 1 | 1 | 1 | Adequate |
| Face bow with semi adjustable articulator | 1 | 2 | 1 | Adequate |

Department: Orthodontics and Dentofacial Orthopedics

| Name | Specification | | antity | Available Quantity | Adequate / Inadequate |
|--|----------------------------|-------------|----------|-----------------------|--------------------------|
| Dental Chairs and Units | Electrically operated with | 1 | chair & | 11 | Adequate |
| | shadow less lamp, | 1 | per PG | | |
| | spittoon, 3 way syringe, | 1 | | | |
| | instrument tray and | Two | chairs | | |
| | motorized suction | | unit for | | |
| | | the faculty | | | ı |
| | | | 2 Units | | |
| Vacuum /pressure moulding unit | | 1 | 1 | 1 | Adequate |
| Hydrogen soldering unit | | 1 | 1 | ···· | Adequate |
| Trydrogen soldering unit | | _ | 1 | - | Adequate |
| Lab micromotor | | 3 | 5 | 3 | Adequate |
| Spot welders | | 3 | 5 | 3 | Adequate |
| Model trimmer (Double disc) | | 2 | 3 | 2 | Adequate |
| Light curing unit | | 2 | 2 | 2 | Adequate |
| High intensity light curing unit | | 1 | 2 | 1 | Adequate |
| Polishing lathes | | 2 | 3 | 2 | Adequate |
| Tracing tables | | 3 | 5 | 3 | Adequate |
| SLR digital camera | | 1 | 1 | 1 | Adequate |
| Scanner with transparency adapter | | 1 | 1 | 1 | Adequate |
| X-ray viewer | | 3 | 4 | | Adequate |
| LCD projector | | 1 | 1 | | Adequate |
| Autoclaves for bulk instrument Sterilization | | 1 | 1 1 | 1 | Adequate |
| vacuum (Front loading) | | | | | |
| Needle destroyer | | 1 | 1 | | Adequate |
| Dry heat sterilizer | | 1 | 1 | | Adequate |
| Ultrasonic scaler | | 1 | 1 | | Adequate |
| Sets of Orthodontic pliers | | 3 | 3 | | Adequate |
| Orthodontic impression trays | | 3 | 5 | | Adequate |
| Ultrasonic cleaner capacity 3.5 lts | - | 1 | 1 | | Adequate |
| Electropolisher | | 1 | 1 | | Adequate |
| Typodonts with full teeth set | | 3 | 3 | | Adequate |
| Anatomical articulator with face bow attachments | | 1 | 1 | 1 | Adequate |
| Free plane articulators | | 1 | 1 | 1 | Adequate |
| Hinge articulators | | 4 | 4 | 4 | Adequate |
| Computer software for cephalometrics | | 1 | 1 | 1 | Adequate |

| Computer with internet | 1 | 1 | 1 | Adequate |
|--|---|---|---|----------|
| connection with attached printer and scanner | | | | |
| Refrigerator | 1 | 1 | 1 | Adequate |

Department: Paediatric and Preventive Dentistry

| Name | Specification | Quantity One chair and unit per postgraduate student and Two chairs with unit for the faculty | | Available Quantity | Adequate / |
|---|--|--|---------|-----------------------|----------------------|
| Dental Chairs and Units | Electrically operated with shadowless lamp, spittoon, 3 way syringe, and motorised suction, micromotor attachment with contra angle miniature handpiece, airotor attachment with miniature handpiece, dental operater stool (40% dental chairs shall be pedo chairs) | | | 1 | Adequate |
| | | 1 Unit | 2 Units | | |
| Pedo extraction forceps sets | | 3 | 4 | 3 | Adequate |
| Autoclaves for bulk instrument sterilization vacuum (Front loading) | | 1 | 2 | 1 | Adequate |
| RVG with intra oral x-ray unit | | 1 | 1 | 1 | Adequate |
| Automatic developer | | 1 | 1 | 1 | Adequate |
| Pulp tester | | 2 | 3 | 2 | Adequate |
| Apex locator | | 1 | 1 | 1 | Adequate |
| Rubber dam kit | One set per student | 1 | 1 | | Adequate |
| Injectable GP condenser | | 1 | 1 | | Adequate |
| Endodontic pressure syringe | | 1 | 1 | | Adequate |
| Glass bead steriliser | | 2 | 4 | | Adequate |
| Spot welder Ultrasonic scalers | | 2 | 3 | | Adequate |
| Needle destroyer | | 1 | 1 | | Adequate |
| Formalin chamber | | 1 | 1 | | Adequate Adequate |
| Ultrasonic cleaner capacity 3.5 lts | | 1 | 1 | | Adequate |
| X-ray viewer | | 2 | 3 | | Adequate |
| Amalgamator | | 1 | 2 | | Adequate |
| Plaster dispenser | | 2 | 2 | | Adequate |
| Dental lathe | | 1 | 2 | | Adequate |
| Vibrator | | 2 | 3 | | Adequate |
| Typodonts | One set per student | 1 | 1 | | Adequate |
| Soldering unit | - | 1 | 1 | | Adequate |
| Band pinching beak pliers | | 2 Sets | 2 Sets | 2 Sets | Adequate |
| Proximal contouring pliers | | 2 | 3 | | Adequate |
| Crown crimping pliers | | 2 | 3 | 2 | Adequate |
| Double beak pliers anterior and posterior | | 2 | 3 | 2 | Adequate |
| Lab micro motor | | 2 | 3 | | Adequate |
| Acryliser | | 1 | 2 | | Adequate |
| Magnifying loupes | | 1 | 1 | | Adequate |
| Conscious sedation unit | Desirable | 1 | 1 | | Adequate |
| Pulse oxymeter | | 1 | 1 | 1 | Adequate |























